

ELECTRIC FENCES




DIMENSIONING TABLES

Datasheet for energizers and fences elements

Model	Power switch	Power supply	Nominal voltage	Working voltageat	Loaded energy	Available energy	Consumption	Length
SUPER TC 1200	-	9V	9000V	1500V	0,9J	0,7J	25mA	12km
SUPER TC 2200	normal	9V	9000V	1500V	0,9J	0,7J	25mA	12km
	strong			2000V	1,3J	0,9J	40mA	20km
SUPER RETEX	-	220V	9000V	2000V	1,3J	0,9J	40mA	20km
SUPER DOUBLE	normal	9 / 220V	9000V	1500V	0,9J	0,7J	25mA	15km
	strong			2000V	1,3J	0,9J	40mA	20km
SUPER TC SOLAR	normal	9V	9000V	1500V	0,7J	0,4J	20mA	12km
	strong			2000V	0,9J	0,6J	40mA	15km

Code	Length	Color	N. conductors	Steel wire diam.	Resistance	Max load	Packing
2081	250 m	Yellow/Orange	3	0,16 mm	15 ohm/m	40 kg	20
2082	500 m	Yellow/Orange	3	0,16 mm	15 ohm/m	40 kg	12
2083	150 m	White	6	0,2 mm	3,8 ohm/m	80 kg	20
2084	500 m	White	6	0,2 mm	3,8 ohm/m	80 kg	12
2085	200 m	White	7	0,5 mm	0,15 ohm/m	150 kg	1
2087	250 m	Yellow	4	0,16 mm	11 ohm/m	60 kg	12
2088	200 m	White	4+2	4x0,20 mm	3,2 ohm/m	100 kg	12
		Yellow/Orange		4x0,30 mm			
2089	100 m	Orange	8	0,3 mm	2 ohm/m	200 kg	100
2090	200 m	White	13	9x0,20 mm	1,8 ohm/m	200 kg	6
				4x0,30 mm			
2091	200 m	White	6	0,2 mm	4,5 ohm/m	400 kg	10
2092	200 m	White	6	0,2 mm	4,5 ohm/m	780 kg	10

Suggested heights



Codice: **2011** **ASCOT SUPER TC 1200**

To be used with battery 55-90-130 Ah. (not included)



Codice: **2012** **ASCOT SUPER TC 2200**

To be used with battery 55-90-130 Ah. (not included)



Codice: **2013** **ASCOT SUPER RETEX elettronico 220 V.**




Codice: **2014** **ASCOT SUPER DOUBLE**

Can work using power supply or battery 55-90-130 Ah. (not included)



Codice: **2015** **ASCOT SUPER TC SOLAR**

Can work using solar power or battery 55-90-130 Ah. (not included)



Codice: **2052** **Battery 9V, 55 AH**



Codice: **2053** **Battery 9V, 90 AH**



Codice: **2054** **Battery 9V, 130 AH**



Codice: **2058** **Alcalin battery 9V, 175 AH**



Codice: **2060** **Kit 100 isolators for wood + screwdriver**



Codice: **2062** **Ring Insulator, yellow**

Packs of 1 or 20 sachets

Sachets of 25 pieces



Codice: **2063** **Wood insulator type CL**



Codice: **2064** **Ring Insulator "Big" with continuous support**

Packs of 1 or 20 sachets

Sachets of 25 pieces



Codice: **2065** **Ring Insulator with Metric Thread with 2 bolts**



Codice: **2066** **Corner insulator type W1-12**



Codice: **2068** **Lightning rod insulator**



Codice: 2069	Tape Insulator	
Packs of 1 or 20 sachets	Sachets of 25 pieces	
Codice: 2071	Corner and Distance Insulator	
Packs of 1 or 20 sachets	Sachets of 10 pieces	
Codice: 2072	Rope Insulator	
Packs of 1 or 20 sachets	Sachets of 25 pieces	
Codice: 2077	Gate Handle Insulator	
Packs of 1 or 25 sachets	Sachets of 10 pieces	
Codice: 2078	Gate Handle	
Packs of 1 or 5 or 100 pieces		
Codice: 2079	Gate Kit	
Codice: 2081	Polywire - 250 m	
Packs of 1 or 20 pieces	Colour: yellow/orange - N.conductors: 3 - Diameter: 0,16mm - Resistance: 15 ohm/m - Breaking strength: 40kg	
Codice: 2082	Polywire - 500 m	
Packs of 1 or 12 pieces	Colour: yellow/orange - N.conductors: 3 - Diameter: 0,16mm - Resistance: 15 ohm/m - Breaking strength: 40kg	

Codice: 2083	Cable for fence 6 Strand x 0.20 mm - 250m	
Packs of 1 or 12 pieces		
Colour: white - N.conductors: 6 - Diameter: 0,2mm - Resistance: 3,8 ohm/m - Breaking strength: 80kg		
Codice: 2084	Cable for fence 6 Strand x 0.20 mm - 500m	
Packs of 1 or 6 pieces		
Colour: white - N.conductors: 6 - Diameter: 0,2mm - Resistance: 3,8 ohm/m - Breaking strength: 80kg		
Codice: 2085	Stranded Wire galvanized	
Colour: white - N.conductors: 7 - Diameter: 0,5mm - Resistance: 0,15 ohm/m - Breaking strength: 150kg		
Codice: 2087	Fence Tape - 10mm yellow/orange - 250m	
Packs of 1 or 12 pieces		
Colour: yellow/orange - N.conductors: 4 - Diameter: 0,16mm - Resistance: 11 ohm/m - Breaking strength: 60kg		
Codice: 2088	Fence Tape - 20mm - 200m - TRICOND	
Packs of 1 or 12 pieces		
Colour: yellow/orange - N.conductors: 5 - Width: 20mm - Resistance: 0,374 ohm/m - Breaking strength: 120kg		
Codice: 2090	Fence Tape - 40mm - 200m	
Packs of 1 or 6 pieces		
Colour: white - N.conductors: 6 - Width: 40mm - Resistance: 4,5 ohm/m - Breaking strength: 400kg		
Codice: 2091	White rope - diameter: 6mm - 6x0,20 inox - length: 200m	
Packs of 1 or 6 pieces		
Colour: white - N.conductors: 6 - Diameter: 0,2mm - Resistance: 4,5 ohm/m - Breaking strength: 780kg		
Codice: 2098	Plastic Posts 70cm - white	
Packs of 1 or 4 groups	Groups of 5 pieces	

Codice: **2099** **Plastic Posts 105cm with double step-in - white**

Packs of 1 or 4 groups

Groups of 5 pieces



Codice: **2100** **Plastic Posts 156cm with double step-in - white**

Packs of 1 or 4 groups

Groups of 5 pieces



Codice: **2102** **Plastic Reel**

Suitable for approximately 600 m wide tape (10 mm) and 500 m rope (6 mm) or 1,000 m wire (3 mm)



Codice: **2103** **Fence tester - 6000V**

Packs of 1 or 100 pieces



Codice: **2107** **Energizer-fence cable connector**

Codice: **2108** **Energizer-ground cable connector**



Codice: **2109** **Warning Sign – Electric Fence**

Codice: **2110** **Screw Tight Insulator for Round Posts**

Packs of 1 or 20 sachets

Sachets of 10 pieces



Codice: **0** **Screw Tight Insulator for Round Posts for wire and 6mm**



Codice: **2111** **Supplementary Clip Insulator ALLROUND**

Packs of 1 or 20 sachets

Sachets of 10 pieces



Codice: **2112** **Insulator for Tapes up to 40 mm**

Packs of 1 or 20 sachets

Sachets of 10 pieces



Codice: **2116** **Wood insulator type E3 for wire and tape (up to 40mm)**

