

FLYING INSECT KILLERS - RAT CATCHERS





FLYING INSECT KILLERS

We have been concerned to create insect exterminators that have a very high durability over time: for this purpose the frames were built entirely in extruded aluminum.

The ductility of this material has also allowed to obtain a modern and certainly pleasant line in order to avoid to alter the aesthetics of the environment

Our products have been designed to meet all needs:

- HALLEY series includes electric exterminators;
- ORION series includes exterminators with glue cardboard, suitable for public places and work environments.

Supply voltage is 220V - 50Hz. Different voltage upon request only.





Codice: **5011** Halley **2138**

with 1 of 15w lamp Proteced area: 120m2 ca

Dimensions: 510x385x120 mm Weigth: 7,0 kg

Suitable for shops, meat plants, grocery stores, bars, restaurants, pizzerias,...



Codice: **5013 Halley 2138**

with 2 of 15w lamps Proteced area: 150m2 ca

Dimensions: 510x385x120 mm Weigth: 7,4 kg

Suitable for shops, meat plants, grocery stores, bars, restaurants, pizzerias,...



Codice: **5015** Halley **2138/E**

with 1 of 15w lamp Proteced area: 100m2 ca

Dimensions: 510x385x120 mm Weigth: 7,1 kg
Suitable for medium/large OUTDOOR environments



Codice: **5021** Halley **2214**

with 1 of 40w lamp Proteced area: 200m2 ca

Dimensions: 660x520x120 mm Weigth: 10,0 kg

Suitable for wide environments such as supermarkets, store departments, ...



Codice: **5023** Halley **2214**

with 2 of 20w lamps Proteced area: 200m2 ca

Dimensions: 660x520x120 mm Weigth: 10,2 kg

Suitable for wide environments such as supermarkets, store departments, ...



Codice: **5025** Halley **2214**

with 2 of 40w lamps Proteced area: 300m2 ca

Dimensions: 660x520x120 mm Weigth: 10,5 kg

Suitable for wide environments such as supermarkets, store departments, ...



Codice: **5027** Halley **2214/E**

with 1 of 40w lamp Proteced area: 200m2 ca

Dimensions: 660x520x120 mm Weigth: 10,1 kg Suitable for gardens, outdoor restaurants and pizzerias,



Codice: **5031** Halley **2214/B**

with 2 of 20w lamps Proteced area: 200m2 ca

Dimensions: 660x310x120 mm Weigth: 7,7 kg

Suitable for wide environments





Codice: 5033 Halley 2214/B

with 2 of 40w lamps Proteced area: 300m2 ca

Dimensions: 660x310x120 mm Weigth: 8,0 kg

Suitable for wide environments



Codice: 5035 Halley 2214/BE

with 1 of 40w lamp Proteced area: 200m2 ca

Dimensions: 660x310x120 mm Weigth: 7,6 kg

Suitable for wide OUTDOOR environments



Codice: **5101 Orion 30**

with 2 of 15w lamps Proteced area: 120m2 ca

Dimensions: 510x385x130

Range: 8m approx



Codice: **5102 Orion 30**

with 2 of 15w covered lamps Proteced area: 120m2 ca

Dimensions: 510x385x130

Range: 8m approx



Codice: **5103 Orion 60**

with 4 of 15w lamps Proteced area: 240m2 ca

Dimensions: 510x385x130

Range: 16m approx




Codice: **5104 Orion 60**

with 4 of 15w covered lamps Proteced area: 240m2 ca

Dimensions: 510x385x130

Range: 16m approx



Codice: **5541** Spare lamp 6W



Codice: **5542** Spare lamp 8W



| Codice: 5543 | Spare lamp 15W | |
|---------------------|------------------------------|----------------|
| | | 400 |
| | | |
| Codice: 5544 | Spare lamp 20W | |
| | | ÷ |
| | | |
| Codice: 5545 | Spare lamp 40W | |
| | | \$ TOTAL CO. 1 |
| | | |
| Codice: 5547 | Spare covered lamp 15 W | |
| | | 4 |
| | | |
| Codice: 5561 | Spare flypapers for ORION 30 | |
| | 78.12 | |
| 2 off flypapers | | |
| Codice: 5562 | Spare flypapers for ORION 60 | |
| | T Market and a second | |
| 2 off flypapers | | |
| | | |



ULTRASONIC RAT-CATCHERS

The rat-catcher FELIX 400 disperses rodents using variable sound pressure. This system prevents the rodents from becoming accustomed to one sound pressure. Felix 400 is a self-contained unit, operating automatically with variable frequency and with pause facility, controlled by a switch on the front of the apparatus.

Very wide range of application: houses, shops, offices, hotels and restaurants, canteens, cellars, warehouses and depots of all types - especially storing foodstuffs.

The unit is generally wall- mounted at a height of 2/3 metres, keeping ultrasonic sound emissions directed towards the centre of the area.

TECHNICAL DETAILS:

- Operating voltage: 220V 50-60Hz.
- Consumption: from 10W to 3W
- Protected area:
 - ⇒ main device alone from 100 to 200 sq. m.;
 - ⇒ with 10 connected repeaters from 600 to 1200 sq. m. depending on the environment.
- Frequency: 22.000Hz 28.000Hz.
- Ultrasound wave: 96/110 dB.
- Outlet for the connection from 1 to 10 repeaters.
- N°3 LED:
 - ⇒ green = plugged in
 - \Rightarrow red = signal emission.

Code: 9000 Felix 400 - main device

Dimensions: 23,5cm x 21cm x 12cm - Weigth: 1,8 kg

Protected area: from 100 to 200 sq.m.

Code: 9002 Signal repeater

Dimensions: 16cm x 11,5cm x 12cm - Weigth: 900 g

Protected area: with 10 repeaters from 600 to 1200 sq.m.







TECNALL SRL

Via C. Restelli 37 - 22070 Limido C. (CO) - Italy

Tel. +39 031 937515 fax +39 031 938778 -

sales@tecnall.it - www.tecnall.it

